

Bid Document

Bid Details	
Bid End Date/Time	29-07-2019 19:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Rajasthan
Department Name	Technical Education Department Rajasthan
Organisation Name	N/a
Office Name	Govt Women Engg College Ajmer
Total Quantity	22
Item Category	Electronic Lectern , Multimedia Projectors , Projector Screen , Visual Presenters , Video Conferencing Camera , Video Conferencing MCU , Interactive Boards , Interactive Boards
Average Turnover (Last 3 Years)	15 Lakh (s)
Experience with Government Required	3 Year (s)
MSE Exemption For Years Of Experience And Turnover	Yes
Startup Exemption For Years Of Experience And Turnover	Yes
Document required from seller	Experience with Government,Annual Turnover,OEM Authorization Certificate
Bid to RA enabled	No

Electronic Lectern (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Type	Type of Electronic Lectern	Processor Based	Processor Based
Chassis	Type of Chassis/ Frame	Metallic	Metallic

	Mount Tupe	Floor Mounted With Wheels	*
	Material of Chassis	Polymer Coated CRCA Steel Sheet	*
	Thickness of Enclosure (mm)	1.6 mm(Min) CRCA Sheet	*
	Screwless Chasis	Yes	*
	Adequate Space for Additional Devices	Yes	*
	Drawers / Cabinets	Yes	*
	If yes, Lockable	Yes	*
Display	Display	Available	Available
	Display Size (inches)	21 to 22	21 to 22
	Display Type	LCD	LCD
	Screen Resolution (Pixles)	1920×1080	1920×1080
	Aspect Ratio	16:09	*
	Tilt Screen	Yes	*
	If yes, Tilt Mechanism	Manual	*
	Pre-Build Housing	Yes	*
	Touch Support	Available	*
	If yes,Touch Type	Capacitive	*
	Stylus	No	No
	Stylus Type	Battery/ Power Operated	Battery/ Power Operated
	Antiglare	Yes	*
	Scratch Resistant	Yes	*
	Vandal Resistant Screen	Yes	*
	Brightness (NITS) Minimum	250	250
	BIS Registration Number Under CRS for Display	-	*
System Details	Processor Make	Intel	*
	Processor Series	Intel core i3	*
	Processor configuration	-	*
	Operating System (Pre-loaded)	Windows 10	Windows 10
	Antivirus with one year Antivirus with one year liscense	Available	*

	RAM Memory(Gb)	4	*
	Storage/HDD (GB)	1024	1024
	Built-in Standard Keyboard	Available	*
	Built-in Mouse	Available	*
Visualiser	Visualiser	Not-Available	*
	Total Pixels (Mega Pixel)	-	*
	Zoom Functionality	Not-Available	*
	Zoom	-	*
	Frame Rate (fps)	30	*
	Shooting Area	-	*
	Focus	Manual	*
	Resolution (Pixel)	-	*
	Internal Memory (Gb)	0	*
	Remote Control	Not-Available	*
	White Balance	Manual	*
	VGA Port	Not-Available	*
	HDMI	Not-Available	*
	Audio Port	Not-Available	*
	SD Card Slot	Not-Available	*
	USB 2	0	*
	USB 3	Not-Available	*
	LAN	Not Available	*
Built-in Devices	Optical Disk Drive Compatibility	Yes	*
	Inbuilt Speakers	Available	*
	Number of Speakers	2	*
	Wattage of Each Speaker (Watt)	-	*
	Central Control Panel	Available	*
	Gooseneck Mic	1	*
	Wireless Mic	1	*
	Handheld Mic	1	*
	Wireless Reciever	1	*
	Amplifier	Available	*
	Amplifier Wattage (Watt)	-	*
Console Panel Ports	Usb 2	1	*

	Usb 3	1	*
	VGA Ports	1	*
	HDMI Ports	1	*
	Video Pin	0	*
	RJ 45	1	*
	Power Backup Min 30 Minutes	Not Available	Not Available
	Cooling System	Available	*
Generic Information	Maximum Power Consumption (Watt)	-	*
	Operating Temperature Range (Degree C)	5-45	*
	Storage Temperature (Degree C)	-10 to 55	*
	Operating Humidity (RH) (%)	40 Deg at 90% RH non condensing	*
	Storage Humidity (RH) (%)	-	*
	Overall Dimensions (cm x cm x cm)	-	*
	Weight (Kg)	-	*
	BIS Registration Number for Rest of the Components	-	*
	On site OEM Warranty in years	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhapura , Ajmer Rajasthan	3	30

Multimedia Projectors (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement
---------------	--------------------	--------	-----------------

			(Allowed Values)
Specifications	Projection Method	Front	*
	Technology	DLP	One Chip DLP
	Native Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
	Brightness (Lumens)	4000	4000, 4500, 5000, 5500, 6000, 7000, 10000, 12000, 14000, 16000, 18000, 20000, 25000, 30000, 8000, 9000, 6500, 7500, 8500, 9500, 4200, 13000, 5200, 6200, 4300, 22000, 40000, 60000 Or higher
	Zoom Feature	Yes	*
	If Yes, Zoom (%)	10	*
	Availability of Lens	Yes	*
	If Yes, Type of Lens	Standard Throw	*
	Aspect Ratio	16:10	*
	Keystone Correction	Automatic	*
	Projection Lamp	UHP	UHP
	Minimum Life of projection Lamp (In Normal Mode) (Hours)	10,000	*
	Lamp Hour Counter (In-Built)	Yes	*
	Video Compatibility	PAL	*
	Inbuilt Speaker	Yes	*
	HDMI/DVI Port	Yes	*
	Analog RGB In Port (Hours)	Yes	*
	Analog RGB Out Port	Yes	*
	Audio In	Yes	*
	Audio Out	Yes	*
	Video In	Yes	*
	Storage Media Port (USB- Type A)	No	*
	WiFi Availability	Yes	*
	Wireless Screen Share	No	*
	LAN Connectivity	Yes	*
	3D Ready	Yes	*
Power Consumption in Sleep Mode (Watts)	0.5	*	

Power Consumption in Normal Mode (Watt)	290	*
Noise Level in Sleep Mode (dB)	2	*
Noise Level in Normal Mode (dB)	28	*
Power Supply	210V-240V, 50 Hz	*
Operating Temperature Range (Degree C)	-	*
Operating Humidity (RH %)	-	*
Dimensions (mm x mm x mm)	-	*
Weight (Kg)	1.9	*
BIS Registration under CRS of Meity	Yes	*
BIS Registration Number	-	*
Battery	No	*
If Yes, Battery Capacity	-	*
If Yes, Battery Backup Time (Hour)	0	*
ON Site OEM Warranty	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhapura , Ajmer Rajasthan	3	30

Projector Screen (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specifications	Type	Motorised	Motorised

Supported Display Technology	3D	3D
Mounting Type	Wall Mount	Wall Mount
Aspect Ratio	4:3	*
Display Fabric Material	-	*
Length x Width of Projector Screen (Inch x inch)	-	*
Gain	-	*
Life time lubricated motor for smooth & silent functioning of the screen	NA	*
Remote	No	*
If Yes, Type Of Remote	NA	*
Anti UV Coating	No	*
Waterproof/Washable	Yes	*
Fire Proof	No	*
Autolock/Instalock Feature	Yes	*
Weight (Kg)	8	*
On Site OEM Warranty	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhapura , Ajmer Rajasthan	3	30

Visual Presenters (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Type	Desktop	Desktop

Technology	CMOS	CMOS
Resolution (Pixels)	Full HD (1920 x 1080)	Full HD (1920 x 1080)
Image Pickup Device	0.33	*
Video Frame Rates (fps)	30	30.0 - 100.0 Or higher
Optical Zoom	13	13.0 - 50.0 Or higher
Shooting Area (mm)	A4	*
Focussing Arrangement	Auto & Manual Both	Auto, Auto & Manual Both
Layout	Landscape	*
Lens Focal Length (mm)	0	*
Digital magnification	8	*
Image Memory (Number of Images)	26	More than 26.0 Or higher
Image Rotation Facility (Degree C)	270	*
Light Source	White LED	*
Life Of Lamp used (Years)	1	*
USB Port (Number)	1	*
VGA Port (Number)	1	*
DVI-I Port (Number)	0	*
HDMI Port (Number)	1	*
RS 232 Port (Number)	0	*
Network Connectivity	No	No
Full Function Remote Control	Yes	*
Light Box	Yes	*
Certifications Available	-	*
Power Requirement	230V, 50 Hz AC	*
Standard Accessories to be provided	Yes	*
Operating Temperature Range (Degree C)	-	*
Operating Humidity (% RH)	85	*
Dimensions (mm x mm x mm)	-	*
Weight	4.7	*

TTC covering all the parameters from a Central Govt Lab/an ILAC accredited Lab/ NABL approved Lab	Yes	*
If Yes, TTC Number	-	*
If Yes, TTC Date	-	*
If Yes, Name of the Lab	-	*
If Yes, Address of the Lab	-	*
On Site OEM Warranty (Years)	1	1

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhapura , Ajmer Rajasthan	3	30

Video Conferencing Camera (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Camera for Video Conferencing System	Camera without Codec	*
	Type of Camera	PTZ	PTZ Or higher
	Resolution	1080p, 30fps	1080p, 30fps, 1080p, 60fps, 4K, 30fps, 4K, 60fps Or higher
	Zoom Range Optical	10X	10X, 12X, 20X, 22X, 30X Or higher
	Zoom Range Digital	12X	12X Or higher
	Field of View (Degree)	70	*
	Pan Range (Minimum to Maximum (+/-Degree)	130,-130	*

Tilt Range (Minimum to Maximum (+/-Degree)	-30,90	*
Camera Positioning System	Manual	Automatic Voice-activated, Face Detection, Preset, Manual Or higher
Type of Sensor	CMOS	*
Camera Control (focusing, brightness, and white balance)	Manual	*
Multiple Camera System in case of Automatic Voice activated CameraTracking	NA	*
Input/Output Port	USB 3.0	USB 3.0
BIS Registration under CRS of Meity	NA	*
If yes , BIS Registration Number and its validity	-	*
UL/CE certification	No	*
If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer)	-	*
Availability of test reports to prove conformity to the specifications (Furnished when demanded by buyer)	No	*
Minimum Operating temperature (Degree C)	-5	*
Maximum Operating temperature (Degree C)	40	*
Minimum Operating Humidity (%RH)	25	*
Maximum Operating humidity (%RH)	85	*
Free Installation and commissioning	Yes	*
On Site OEM Warranty (Year)	1	1, 3, 5 Or higher

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhupura , Ajmer Rajasthan	3	30

Video Conferencing MCU (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specification	Type of MCU capable of delivering the video bridging performance as defined in the specifications	Server (Software) based MCU	Server (Software) based MCU
	Type of Video Conferencing System	All in one MCU based	*
	Number of ports on IP in all in one MCU (N)	10	10.0 - 500.0 Or higher
	Resolution	1080p, 30 fps	1080p, 30 fps, 1080p, 60 fps, 4K, 30 fps, 4K, 60 fps Or higher
	Minimum Bandwidth Required for Specified video quality at MCU End (Mbps)	1024	*
	Minimum Bandwidth Required for Specified video quality at End point/far-site end (Mbps)	1024	*
	All components of the MCU solution, management sw & desktop client sw should be from the same OEM, Servers can be from third party	Yes	*

MCU should support audio ports on IP	Yes	*
MCU is IP based and Availability of Network management systems	External	*
Max Number of registered End Point on an external /internal (Internet/Intranet) server	10	*
Max Number of registered Desktop Clients an external /internal (Internet/Intranet) server	10	10
Max Number of registered Mobile Clients an external /internal (Internet/Intranet) server	10	*
Max Number of registered External Users an external /internal (Internet/Intranet) server	10	*
Dual Video Feature to be available in Desktop	Yes	*
MCU must support Audio algorithms : (G Dot 711, G Dot 722, G Dot 729 or equivalent or better wideband audio coding support)	Yes	*
MCU must support Telnet /USB /RJ45 /ssh	Yes	*
Video coding support Protocol	H.263	*
MCU must support control of a conference like adding participants, removing participants, muting participants video and/ or audio, lock a conference	Yes	*
MCU support Far End Camera Control, in voice activated and	No	*

continuous presence modes		
MCU support sending/receiving multiple streams of video and presentation content without losing MCU port capacity	Yes	*
MCU must support layout choices of different layouts	Yes	*
MCU configurable to adapt the continuous presence screen layouts to accommodate newly added or dropped participants from the conference, up to 16 participants automatically	No	*
MCU must provide standards based method of compensating and correcting for packet loss media streams loss	Yes	*
MCU must provide a complete 'conference control' interface browser to support all 'in call' management functions with add and drop' manipulation of parties in the call	Yes	*
MCU must support a configurable text overlay function, where in the Name, Site Identifier or terminal info is displayable	Yes	*
MCU solution support maximum bandwidth control per endpoint or per groups of endpoints	Yes	*
MCU solution support distributed architecture	No	*
MCU solution must support real time monitoring	Yes	*
Scheduling support through outlook	Yes	*

integration		
The solution should allow registration of users, endpoints, their authentication and providing each a unique ID and presence status for simplified dialing	Yes	*
MCU solution support Microsoft Outlook/Google etc scheduling with email notifications to individual participants	Yes	*
MCU solution must support personal address book	Yes	*
The conference scheduling application must support Dial-in or Dial-out to terminals	Yes	*
The conference MCU solution must support Direct Inward Dial to scheduled meetings	Yes	*
The network management software of the MCU/bridge must provide CDR data and view of current calls It allows to view all components of the solution and allow them to be maintained and upgrade centrally	Yes	*
MCU management software is capable to send e-mail notification to all participants using Microsoft outlook / Google etc plug in	Yes	*
Number of Management Software Licence	10	*
Both the MCU management software should be installed on server/appliances	No	*
MCU support Desktop Client Resolution from day one	1080p @ 30fps	*

Video and Content simultaneously both feature to be available in desktop	Yes	*
Number of multiple conferences/Sessions/ meetings with total number of participants con- currently from day 1	1	*
MCU is with redundant power supply in same chassis/ Server	No	No
The desktop Client must be downloadable from central server or available on CD/USB	Yes	*
The desktop client is capable to display the presentation/ data sharing, shared by remote sites	Yes	*
The desktop client is capable to share presentations, desktop display or documents/application sharing to the participants	Yes	*
It must support AES 128 bit encryption	Yes	*
Media Relay Unit/Firewall and Nat firewall unit to be linked with MCU in order to make it available to all Codecs/endpoints	No	*
The desktop client is capable to run on latest Windows/Mac/Linux platforms along with mobile devices of IOS and Android	Yes	*
Mangement system (Gatekeeper and Scheduler) - Concurrent ports and registration for Admin User and Authentication	No	Yes, No Or higher

MCU should support IP connectivity for streaming and recording unit	Yes	*
All equipment are in compliance with the requirements of ITU-T Standard related to Video Conferencing	Yes	*
System to be IPv6 ready from day one	Yes	*
System uses standards based protocols and the offered system is interoperable with any existing H-323 AVC based video Conferencing MCU on all ports All H/W and S/W required to make it interoperable on port basis is included in the scope of supply	Yes	*
System is also tropicalized and report available from ILAC/NABL/Govt Lab with all add on including Environmental Sequence	No	*
(a) Dry Heat- For 16 hrs at 55 deg C as per IS:9000/pt-3/sec-5/1977(b) Cold-For 4 hrs at 0 deg C as per IS:9000/pt-2/sec-4/1977 (c) Damp Heat- For 2 Cycles of 24 h each at 40 deg C & 95% RH as per IS:9000/pt-5/sec-1/1991 (All Reaffirmed 2007)	No	*
After each environmental test and a recovery period of two hours, the video conferencing system has been checked for complete functional parameters, and the results found satisfactory	No	*

Type Test Report from ILAC/NABL/Govt lab confirming conformance to above technical specifications - to be made available to buyer	No	*
BIS Registration under CRS of Meity	NA	*
If Yes, Unique Registration Number issued by BIS and its Validity	-	*
UL/CE certification	No	*
If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer)	-	*
Minimum Operating temperature (Degree C)	-5	*
Maximum Operating temperature (Degree C)	45	*
Mnimum Operating humidity (%Rh)	45	*
Maximum Operating humidity (%Rh)	80	*
Free installation and commissioning	Yes	*
On Site OEM Warranty (Year)	1	1, 3, 5 Or higher

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhapura , Ajmer Rajasthan	1	30

Interactive Boards (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
PERFORMANCE PARAMETERS	Mode of operation	Projector and whiteboard Mode both	Projector and whiteboard Mode both
	Board Aspect Ratio	4:3	4:3
	Touch Technology	infrared	infrared
	Touch interface	Touch Sensitive and Pen Driven Both	Touch Sensitive and Pen Driven Both
	Source of power Supply	Through USB Ports	*
	Number of USB 2.0 ports (Nos)	1	*
	Number of USB 3.0 ports (Nos)	0	*
	Number of electronic pen or stylus to be supplied with the board (Nos)	2	*
	Operating system Comparability	-	*
	Details of software provided	-	*
	Display Resolution in pixels	32767	32767
	Number of touch points (Nos.)	6	*
	Response time in milliseconds	1	*
	Bluetooth connectivity	No	*
	Power consumption in Watt	0.5	*
	Wi-fi connectivity	No	*
	Provision for wall mounting	yes	*
	Operating Humidity (%)	85	*
	Operating Temperature Range in Degree celsius	-	*
	Warranty in years	1	1
DIMENSIONAL PARAMETERS	Surface material of Boards	ceramic Steel Surface	ceramic Steel Surface

	Board Diagonal Size in inch	85	85.0
	Active area (Diagonal) of the board in Feet (Width x height)	-	*
	Active area (Diagonal) of the board in mm(Width x height)	-	*
ADDITIONAL SUPPLIES	USB Extender Hub 8 Meters	Yes	*
	All connecting Cables and accessories to be supplied along with the Board	yes	*
	Installation Kit to be supplied alongwith the Board	Yes	*
	Availability of Direct Printing Facility from Board	Yes	*
	Operating and Installation Manual	Yes	*
Test Reports	Availability of test reports from Central Govt /NABL / ILAC accredited Lab covering all the parameters	Yes	Yes
	Test Report No	-	*
	Test Report date	-	*
	Name of Test lab	-	*
	Complete Address of the Test lab	-	*
	Copy of Test reports will be provided to buyer on Demand at the time of supplies (Applicable if availability of test report indicated as YES, otherwise put NA)	Yes	*

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

1	Ashok Kumar	305002,Nasirabad Road, Makhupura , Ajmer Rajasthan	3	30
---	-------------	--	---	----

Interactive Boards (3 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
PERFORMANCE PARAMETERS	Mode of operation	Projector mode	Projector mode
	Board Aspect Ratio	5:4	5:4
	Touch Technology	electromagnetic	electromagnetic
	Touch interface	pen driven	pen driven
	Source of power Supply	Through USB Ports	*
	Number of USB 2.0 ports (Nos)	0	*
	Number of USB 3.0 ports (Nos)	0	*
	Number of electronic pen or stylus to be supplied with the board (Nos)	0	*
	Operating system Comparability	-	*
	Details of software provided	-	*
	Display Resolution in pixels	4000	4000
	Number of touch points (Nos.)	6	*
	Response time in milliseconds	0.5	*
	Bluetooth connectivity	No	*
	Power consumption in Watt	0.5	*
	Wi-fi connectivity	No	*
	Provision for wall mounting	yes	*
Operating Humidity (%)	80	*	
Operating Temperature Range in Degree celsius	-	*	

	Warranty in years	1	1
DIMENSIONAL PARAMETERS	Surface material of Boards	Laminate Surafce	Laminate Surafce
	Board Diagonal Size in inch	75	75.0
	Active area (Diagonal) of the board in Feet (Width x height)	-	*
	Active area (Diagonal)of the board in mm(Width x height)	-	*
ADDITIONAL SUPPLIES	USB Extender Hub 8 Meters	No	*
	All connecting Cables and accessories to be supplied along with the Board	yes	*
	Installation Kit to be supplied alongwith the Board	Yes	*
	Availability of Direct Printing Facility from Board	No	*
	Operating and Installation Manual	Yes	*
Test Reports	Availability of test reports from Central Govt /NABL / ILAC accredited Lab covering all the parameters	Yes	Yes
	Test Report No	-	*
	Test Report date	-	*
	Name of Test lab	-	*
	Complete Address of the Test lab	-	*
	Copy of Test reports will be provided to buyer on Demand at the time of supplies (Applicable if availability of test report indicated as YES, otherwise put NA)	NA	*

* Bold specifications are the golden parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	305002,Nasirabad Road, Makhupura , Ajmer Rajasthan	3	30

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	58916

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- Procurement under this bid is reserved for purchase from :** Local Supplier as defined in Public Procurement Preference to Make in India Order 2017 and its subsequent Orders Notifications issued by concerned Nodal Ministry for specific Goods/ Products.
- Scope of supply (Bid price to include all cost components) :** Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---