

Date: 09 00 25



(बीकानेर तकनीकी विश्वविद्यालय, बीकानेर का संघटक महाविद्यालय)

# **WOMEN ENGINEERING COLLEGE, AJMER**

(A CONSTITUENT COLLEGE OF BIKANER TECHNICAL UNIVERSITY, BIKANER) Nasirabad Road, Makhupura, Ajmer - 305002

website: www.gweca.ac.in email: principal@gweca.ac.in Ph. No.: 0145-2695535 Fax No.:0145-2695102

Reference No. RFQ/2025-26/	CC-175/7-49
From,	- 11
Principal, Mahila Engineering Ajmer (Raj.)	g College Ajme
To:	

Request for Quotation (RFO) (Rule 24, RTPP 2013)

Subject: Request for Quotation for Laptop and Wireless Headphone. Dear Bidder.

Mahila Engineering College Ajmer (MECA) invites quotation under Rajasthan Transparency in Public Procurement Act, 2012 & Rules, 2013 for the above subject from experienced, technically and financially sound suppliers/service provides. Bids for the various work(s) as mentioned below are invited from manufacturers/distributors/authorized dealers/registered bidders/bonafide dealers upto - 19 09 2025 (Time: 03:00 PM

Specifications

S. No.		Particulars of Item	Approximate Qty
01	Laptop Processor Name  Neural Processing Unit Chipset Operating system + Office Memory Hard drive description Display  Screen size Graphies Display type Aspect ratio Display resolution Touchscreen Audio features Pointing device Keyboard	AMD Ryzen™ AI 5 340 (up to 4.8 GHz max boost clock, 16 MB L3 cache, 6 cores, 12 threads) AMD Ryzen™ AI (50 NPU TOPS) AMD integrated SoC Windows 11 Home Single Language + MS Office Home and Student 16 GB LPDDRSx-7500 MT/s (onboard) 512 GB PCIe® Gend NVMc™ M.2 SSD 33.8 cm (13.3) diagonal, WQXGA (2560 x 1600), IPS, micro-edge, anti-glare, 400 nits, 100% sRGB 33.78 cm (13.3") AMD Radcon™ 840M Graphics IPS 16:10 WQXGA No DTS:X® Ultra; Dund speakers Touchpad	01


Ha Jedie James



	Wireless Ports	Realtek Wi-Fi 6 (2x2) and Bluetooth® 5.4 wireless card 1 USB Type-A 10Gbps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 HDMI-out 2.1; 1 headphone/microphone combe; 2 USB Type-C® 10Gbps signalling	
	HDMI out Webcam	rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones	
	Power supply type Battery type ENERGY STAR® certified Security management	65 W USB Type-C⊕ power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera privacy shutter; Trusted Platform Module (Firmware TPM)	
	Warranty	support 3 Year Warranty administered directly by the OEM. Warranty of the products shall be verified from the OEM websites to indicate the 3-year Warranty.	
02	Wireless Headphones Connectivity Technology Compatible Devices Frequency Range	Bluetooth 5.3 Cellphones, Laptops, Tablets 20 - 20000 hertz	01
	Included Components	Bluetooth Headphone, Charging Cable,	
	Water Resistance Level Battery Life	User Manual, Warranty Registration Card IPX5 Water Resistant 50 Hours Approx	
	Audio Driver Type Bluetooth Range Special Features Tru BassTM	40mm driver, Dynamic Driver 10 Metres Approx Fast Charging bass driven audio.	
127 127	Low latency	up to 40ms	

#### Terms and Conditions

- Sealed quotation (only in hard copy) to be submitted/delivered the address mentioned below: Principal, Mahila Engineering College Ajmer, Nasirabad Road, Makhupura, Ajmer (Raj.)-305002
- 2. Procuring Entity reserves the right at its absolute discretion:
  - (i) By written notice to prospective suppliers to do any of the following things: To discontinue or suspend the RFQ process; to extend the closing date and time of the RFQ; and to amend this RFQ;
  - (ii) To negotiate with any prospective supplier submitting a Quotation.
  - (iii) To determine the number of organizations with whom it will contract.
  - (iv) Rate shall be inclusive of all charges i.e. transportation, loading, unloading, toll tax insurance of goods etc.
- 3. A Quotation must be prepared using the Quotation form in Part A. Submission of Part A is mandatory.
- A Quotation constitutes an irrevocable, unalterable offer by the prospective supplier to MECA.
   A quotation must remain valid and open to be accepted 60 working Days from the closing time
   and date specified in the RFQ.
- 5. RTPP Act 2012 and Rules 2013 shall be part of this RFQ.
- Each page of the Quotation must be signed with seal by the bidder/firm. In absence of sign and seal of the firm the proposal will be rejected.



- 7. Any discount i.e. quantitative discount and others may also be mentioned in details.
- Goods will be delivered within a stipulated period as mentioned in the conditions of bid.
- The rates quoted above are valid upto the contract period which may be extended as per RTPP Rules 2013 with mutual consent as per the conditions of the contract.
- 10. Supplier should ensure at his level that the supplied items are of original make and in good quality/condition and make should be as per bid document.
- 11. Bids received after the prescribed time and date will not be considered.
- 12. The quotation must be supported with requisite documents and catalogues of items quoted.
- In case of any query Mr. Dalpat Songara, Coordinator CC-IT Services (9929358980) and Sh. Balveer Singh Shekhawat (9530252645) may be contacted.
- 14. Payment will be made as per actual work at the site of MECA. The payment will be released after satisfactory report of technical committee.
- 15. Quotation should be submitted in a sealed envelope duly labeled "Quotation for Laptop and Wireless Headphone"

We look forward to receiving your quotation.

Last date for submitting quotation: 19 03 25 upto 03.00 p.m.

Principal Principal

Mahila Engineering College Ajmer (MECA)

Je Kill - Az gh



To

## (to be submitted on letterhead of firm) Format for Quotation Submission (PART-A)

Principal Mahila Engineering Colle	ge Λjmer (M	ECA)		
RFQ Reference No.:				

The supplier hereby offers to supply the items listed below in accordance with the terms and conditions stated in your Request for Quotations referenced above. The validity period of our quotation is: \_days/weeks/months. The Price offered are:

S. No.		Particulars of Item	Make/ Model	Price Per Unit Item Excluding GST	GST %	Price Per Unit item Including GST	Total Price
01	Laptop Processor	AMD Barrer TM A L T T L		357			
	Name	AMD Ryzen™ AI 5 340 (up to 4.8 GHz max					
		boost clock, 16 MB L3	1		- 3		
	10 10 h	cache, 6 cores, 12			- 3	3.00	
		threads)	37			-	And Table
	Neural	AMD Ryzen <sup>TM</sup> AI (50			1		W 4
	Processing Unit	NPU TOPS)	1.63	- 15° 20°	- 1	1, 200	
	Chipset	tion to the second		4.0			
	Operating	AMD integrated SoC Windows 11 Home				10 Mark	
	system +	Single Language + MS		1.0	-		
	Office	Office Home and					
4		Student				100	
1	Memory	16 GB LPDDR5x-7500			4		
		MT/s (onboard)	A				11
	Hard drive	512 GB PCIe® Gen4					
	description	NVMo™ M.2 SSD					
	Display	33.8 cm (13.3) diagonal,			V .		
		WQXGA (2560 x					
		1600), IPS, micro-edge, anti-glare, 400 nits,					
		100% sRGB			8 7 - 91		
	Screen size	33.78 cm (13.3")					
. (	Graphics	AMD Radeon™ 840M	B				
		Graphics					
	Display type	IPS					Y. State of the st
	Aspect ratio	16:10	100				
	Display esolution	WQXGA					
	ouchscreen		95-1916			Service Services	
	Audio features	No DTS:X@ Ultrn; Dunl	1 3 A	100	100		
1	romines	spenkers					



device Keyboard Wireless  Ports  IDMI out Vebcam  ower supply pe attery type  NERGY TAR®	Full-size, backlit Realtck Wi-Fi 6 (2x2) and Bluetooth® 5.4 wireless card 1 USB Type-A 10Gps signalling rate; 1 USB Type-A 5Cbps signalling rate; 1 HDMI- out 2.1; 1 headphone/microphone combo; 2 USB Type- C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera privacy shutter; Trusted								
IDMI out Vebcam  ower supply pe attery type TAR®	Realtek Wi-Fi 6 (2x2) and Bluetooth® 5.4 wireless card 1 USB Type-A 10Gbps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 HDMI- out 2.1; 1 headphone/microphone combo; 2 USB Type- C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera			en e					
IDMI out Vebeam  ower supply pe attery type  NERGY TAR®	and Bluetoothø 5.4 wireless eard 1 USB Type-A 10dps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 USB Type-C® 10Gbps signalling rate (USB Type-C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital nticrophones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera			983					
IDMI out Vebeam ower supply pe attery type NERGY TAR®	wireless card 1 USB Type-A 10Gbps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 HDMI- out 2.1; 1 headphone/microphone combo; 2 USB Type- C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
IDMI out Vebeam ower supply pe attery type NERGY TAR®	1 USB Type-A 10Glps signalling rate; 1 USB Type-A 5Gbps signalling rate; 1 HDMI-out 2.1; 1 headphone/microphone combo; 2 USB Type-C® 10Glps signalling rate (USB Power Delivery, DisplayPort™ 2.1  1 Port Version 2.1  5MP IR camera with temporal noise reduction and integrated dual array digital microphones  65 W USB Type-C® power adapter  3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
IDMI out Vebeam ower supply pe attery type NERGY TAR®	signalling rate; 1 USB Type-A SGDs signalling rate; 1 HDMI-out 2.1; 1 headphone/microphone combo; 2 USB Type-C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	signalling rate; 1 USB Type-A SGDs signalling rate; 1 HDMI-out 2.1; 1 headphone/microphone combo; 2 USB Type-C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	Type-A 5Gbps signalling rate; 1 HDMI-out 2.1; 1 headphone/microphone combe; 2 USB Type-C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	signalling rate; 1 HDMI- out 2.1; 1 headphone/microphone combo; 2 USB Type- C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	out 2.1; 1 headphone/microphone combo; 2 USB Type- C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	headphone/microphone combo; 2 USB Type-C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1  1 Port Version 2.1  5MP IR camera with temporal noise reduction and integrated dual array digital microphones  65 W USB Type-C® power adapter  3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	combo; 2 USB Typec C® 10Glbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	C® 10Gbps signalling rate (USB Power Delivery, DisplayPort™ 2.1 Port Version 2.1 SMP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	rate (USB Power Delivery, DisplayPort™ 2.1 1 Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	Delivery, DisplayPort™ 2.1  1 Port Version 2.1  5MP IR camera with temporal noise reduction and integrated dual array digital microphones  65 W USB Type-C® power adapter  3-cell, 43 Wh Li-ion polymer  ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	2.1  I Port Version 2.1  SMP IR camera with temporal noise reduction and integrated dual array digital microphones  65 W USB Type-C® power adapter  3-cell, 43 Wh Li-ion polymer  ENERGY STAR® certified  Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	I Port Version 2.1 5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
Vebcam  ower supply ype attery type  NERGY FAR®	5MP IR camera with temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
ower supply pe attery type NERGY TAR®	temporal noise reduction and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
rpe attery type NERGY FAR®	and integrated dual array digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
rpe attery type NERGY FAR®	digital microphones 65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
rpe attery type NERGY FAR®	65 W USB Type-C® power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera								
rpe attery type NERGY FAR®	power adapter 3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified Mic mute key; Camera					134			
attery type NERGY TAR®	3-cell, 43 Wh Li-ion polymer ENERGY STAR® certified  Mic mute key; Camera								
NERGY FAR®	polymer ENERGY STAR® certified Mic mute key; Camera								
ΓAR®	ENERGY STAR® certified  Mic mute key; Camera					2.1			
ΓAR®	certified  Mic mute key; Camera						1		- 1
	Mic mute key; Camera		- 1			1			e lever sile
	Mic mute key; Camera privacy shutter: Trusted	13.0				5.517	1 6		
rtified	Mic mute key; Camera privacy shutter: Trusted	1.134.00				356. 1.	1 80		100
curity	privacy shutter: Trusted								
anagement									
	Platform Module				100		27		
	(Firmware TPM)				2 7				The same of the
	support		-1						
arranty	3 Year Warranty				Sec. 5				
	administered directly by				2		1 1		
	the OEM. Warranty of								1
	the products shall be								1.30
	verified from the OEM								
	websites to indicate the				1				
	3-year Warranty.						10		2
ireless Headp	shones	01	+		-		-		
nnectivity		01	1		4				1 6
chnology	Bluetooth 5.3						1		
mpatible	Collaboras I sut								
vices	Cellphones, Laptops, Tablets						10		
quency	Tablets								1 1 1
nge	20 - 20000 hertz		1						
nge							1		
	Bluetooth Headphone,				. 2				
luded	Charging Cable, User								35 A 1
mponents	Manual, Warranty				2.5				10.36
	Registration Card								- 3
			1						
ter	IPX5 Water Resistant		1						1988
sistance			1						
sistance /el	50 Hours Approx		1						
sistance /cl tery Life									1 M
sistance vel tery Life dio Driver	Deliver		1				1 . 3		
sistance vel tery Life dio Driver se	Driver		1				1	M 1 1 1 1 1	
sistance vel tery Life dio Driver							100		
sistance vel tery Life dio Driver se	10 Metres Approx						1		
mj	r tance ry Life	r Registration Card r IPX5 Water Resistant ry Life 50 Hours Approx 0 Driver 40mm driver, Dynamic Driver	Registration Card r tance IPX5 Water Resistant ry Life 50 Hours Approx 40mm driver, Dynamic Driver	Registration Card r IPX5 Water Resistant ry Life 50 Hours Approx 40mm driver, Dynamie Driver Driver	Registration Card r tance IPX5 Water Resistant ry Life 50 Hours Approx Driver 40mm driver, Dynamie Driver ooth	Registration Card r tance IPX5 Water Resistant ry Life 50 Hours Approx Driver 40mm driver, Dynamie Driver Driver	Registration Card r tance IPX5 Water Resistant ry Life 50 Hours Approx 40mm driver, Dynamic Driver Driver 10 Metres Approx	Registration Card r flance IPX5 Water Resistant ry Life 50 Hours Approx 1 Driver 40mm driver, Dynamic Driver 10 Metres Approx	Registration Card r tance IPX5 Water Resistant ry Life 50 Hours Approx 9 Driver 40mm driver, Dynamic Driver Driver



2000	and the transfer delicated and the second	Total Price	-		
	Tru BassTM Low latency	bass driven audio, up to 40ms			
	Special Features	Fast Charging			
	Special		,		

We confirm that the prices quoted above are fixed and final for the duration of the validity period and will not be subject to revision or variation. The delivery period offered is: 45 days/weeks/months from date of Work Order.

Supplier's details (under this RFQ) will be as follows:

DADWICTH ADO	
PARTICULARS	DETAILS
Name of bidder Firm/Supplier	
Address of the hidder Firm /C	
Address of the bidder Firm/supplier	
Phone and Mobile No.	
Email Address of firm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Pan under Income Tax Act (Attach Proof)	
G.S.T. Number (Attach Proof)	100
Whether bidder/Supplier has been	
Bank A/c No. IFSC code and Brach name	
Aurthorised Dealer/Distributer Certificate	
	Address of the bidder Firm/Supplier  Phone and Mobile No.  Email Address of firm  Pan under Income Tax Act (Attach Proof)  G.S.T. Number (Attach Proof)  Whether bidder/Supplier has been blacklisted/ or not in any of the Govt. department/organization  Bank A/c No. IFSC code and Brach name

This is to certify that I/We have carefully read the contents of the RFQ and fully understood all the terms and conditions therein and undertakes myself/ourselves to abide by the same.

Seal of the firm/agency

Signature of Supplier/Bidder



(to be submitted on letterhead of firm)

## UNDERTAKING

- The rates quoted will be valid and binding upon me for the entire period of contract/validity.
- I hereby declare that my company is neither blacklisted by Central Government/State Government or instrumentalities thereof not any criminal case against the Bidder/ Its Partners/ Directors/ Agents is pending before any court of Law.
- I further certify that I am competent officer in my firm/company to make this declaration.
- Further I am aware that if any of the information given by me is found to be wrong in future then legal action can be taken against me and my bid will be considered as canceled.
- I undertake that I will abide the terms and conditions of this RFQ.In case of noncompliance of terms and conditions of the RFQ my proposal can be rejected by the college.

Seal of the firm/agency

Signature of Supplier/Bidder

Place:

Date:

Barristian July Jan Jan

#### Terms and Conditions

- Sealed quotation (only in hard copy) to be submitted/delivered the address mentioned below: Principal, Mahila Engineering College Ajmer, Nasirabad Road, Makhupura, Ajmer (Raj.)-305002
- 2. Procuring Entity reserves the right at its absolute discretion:
  - (v) By written notice to prospective suppliers to do any of the following things: To discontinue or suspend the RFQ process; to extend the closing date and time of the RFQ; and to amend this RFQ;
  - (vi) To negotiate with any prospective supplier submitting a Quotation.
  - (vii) To determine the number of organizations with whom it will contract.
  - (viii) Rate shall be inclusive of all charges i.e. transportation, loading, unloading, toll tax insurance of goods etc.
- A Quotation must be prepared using the Quotation form in Part A. Submission of Part A is mandatory.
- A Quotation constitutes an irrevocable, unalterable offer by the prospective supplier to MECA.
   A quotation must remain valid and open to be accepted 60 working Days from the closing time
   and date specified in the RFQ.
- 5. RTPP Act 2012 and Rules 2013 shall be part of this RFQ.
- Each page of the Quotation must be signed with seal by the bidder/firm. In absence of sign and seal of the firm the proposal will be rejected.
- 7. Any discount i.e. quantitative discount and others may also be mentioned in details.
- Goods will be delivered within a stipulated period as mentioned in the conditions of bid.
- The rates quoted above are valid upto the contract period which may be extended as per RTPP Rules 2013 with mutual consent as per the conditions of the contract.
- 10. Supplier should ensure at his level that the supplied items are of original make and in good quality/condition and make should be as per bid document.
- 11. Bids received after the prescribed time and date will not be considered.
- 12. The quotation must be supported with requisite documents and catalogues of items quoted.
- In case of any query Mr. Dalpat Songara, Coordinator CC-IT Services (9929358980) and Sh. Balveer Singh Shekhawat (9530252645) may be contacted.
- 14. Payment will be made as per actual work at the site of MECA. The payment will be released after satisfactory report of technical committee.
- 15. Quotation should be submitted in a sealed envelope duly labeled "Quotation for Laptop and Wireless Headphone"

Signature of Supplier/Bidder

May be a - fr